



*l'eminence*  
BY LIVAL



## OPTIMAL PERFORMANCE

The L'eminence is worthy of its name for many reasons: the custom-designed reflector for instance is optimized for CDM-TC Elite light sources and is made out of high grade 99.9% aluminium.

This reflector, in combination with a specially coated non-reflective glass, gives a stellar light output ratio of 85% compared to an average 60-65%.

Maintenance needs have also been considered; a simple twist of the front bezel gives access to the lamp compartment while another twist locks it securely back in place.

## L'EMINENCE

L'eminence is constructed of die-cast aluminium and is flush with the track when installed. The head has a 180° vertical range of movement while rotation is 365°.

COLOURS white, black and silver

LAMPS/WATTAGES CDM-TC Elite 35/70W

BEAM ANGLES 12°, 24°, 44°

L'eminence is standard supplied with Elite lamps from Philips having a Ra index of 90 and luminous flux above 100 lumen/watt.



## EMINENCE

Eminence is the smaller companion of the L'eminence. The head has a 180° vertical range of movement while rotation is 365°.

COLOURS white, black and silver

LAMPS/WATTAGES CDM-Tm 20/35W

BEAM ANGLES 12°, 24°, 34°

Eminence is standard supplied with Tm lamps from Philips. The 20 and 35W lamps have an Ra index of respectively 85 and 90 and luminous flux of 75 and 77 lumen/watt.





Lukkarinmäentie 1, P.O. Box 31  
04131 Sipoo, Finland

Tel +358 9 235 511 Fax +358 9 2393 007  
Email [lival@lival.com](mailto:lival@lival.com) Web [www.lival.com](http://www.lival.com)